Ro. 3000/,

PRESERVATION OF A READY TO SERVE FRUIT

DRINK WITHOUT USING PRESERVATIVES

By

Pramuditha Madhushani Hewage

Thesis submitted to the University of Sri Jayawardenepura as the partial fulfillment the requirement for the award of the degree of Bachelor of Applied Science in Food Science & Technology (Special)



Preservation of a ready to serve fruit drink without using preservatives by Pramuditha Madhushani Hewage

Abstract

The fruits of mango, pineapple, papaya and oranges occupy a prominent position among the fruit crops grown in Sri Lanka, providing essential minerals and vitamins in the human diet. Moreover, the ripe fruits are priced for its excellent taste and medicinal properties. However, marketing of fresh fruits are a great problem because of its short postharvest life, which leads to high post harvest losses of 30-40%. Several conservation techniques have been used to preserve fresh fruits and development of ready to serve fruit drinks has been found to be effective method. However, the prevailing preservation methods for Ready to serve fruit drinks are based on chemical preservatives, which are reported as health hazardous. Hence the research was conducted to develop methodology for preparation of ready to serve fruit drinks without using chemical preservatives.

Preliminary experiment was conducted to find the suitable time temperature combination for preservation of ready to serve fruit drink. As treatments, pasteurization at 95°C for 5 minutes,100°C for 30 seconds, 100°C for 5 minutes and 100°C for 15 minutes were prepared. The control treatment was prepared with using preservatives and the effectiveness of the treatments was determined by measuring the physico-chemical, microbiological and organoleptic properties in one-week interval for one month. Main experiment was conducted to determine the shelflife of developed product with comparison to chemically preserved control sample. Based on

the physico-chemical, microbiological and organoleptic properties, the shelflife of the developed product was determined.

The change of physico-chemical, microbiological and organoleptic properties of the ready to serve fruit drinks prepared by pasteurizing at 95 °C for 5 minutes, and control treatment showed similar pattern with the storage period and not significant each other. The results revealed that the ready to serve fruit drink prepared by pasteurization at 95 °C for 5 minutes can be preserved without using chemical preservatives for three months.

Table of content

, I	age No
Table of content	i
List of tables	iv
List of figures.	V
Acknowledgement	vi
Abbreviation	vii
Abstract	vii
CHAPTER 1	
1.Introduction	01
1.1Objectives	
CHAPTER 2	
2. Literature Review.	03
2.1 Importance of fruits	03
2.2Post harvest losses of fruits	08
2.2.1 Loss of food value in fresh produce	08
2.2.2 The principal causes of post harvest losses	08
2.3 Types of micro-organisms which can grow on foods	09
2.3.1 Harmful microbes which can be found in fruit drinks	10
2.3.1.1 E.Coli	10
2.3.1.2 Salmonella	11
2.4 Fruit preservation.	11
2.4.1 Thermal processing.	11
2.4.2 Pasteurization.	13
2.4.3 Chemical preservation	
2.5 Packaging material for RTS	19

CHAPTER 03

3. Mate	erials and methodology	
	3.1 Materials & Equipments	20
	3.2Methodology	20
	3.2.3 Preliminary experiment	22
	3.2.4 Main experiment	23
	3.3 Physico - chemical Analysis	23
	3.3.1 Total soluble solids	23
	3.3.2 Titrable acidity	23
	3.3.3 Colour	24
	3.4 Microbiological analysis	24
	3.5 Statistical Analysis.	26
	3.6 sensory Analysis	27
CHAP'	TER 4	
4. Resu	ılts and discussion	28
	4.1Results of the experiment 1	28
	4.1.1 Physico - chemical Analysis	28
	4.1.1.1Total soluble solids	28
	4.1.1.2 Colour	29
	4.1.1.3 Titrable acidity	31
	4.1.2 Microbial analysis	32
	4.1.2.1 Total coli form determination	32
	4.1.2.2 E.coli determination	33
	4.1.2.3 Yeast and mould determination	33
	4.2Results of the main experiment	36
	4.2.1 Physico - chemical Analysis	36
	4.2.1.1 TSS	36
	4.2.1.2 Color	37
	4.2.1.3 Acidity % by mass	38
	4.2.2 Microbial analysis	39
	4.2.2.1 Total coli form determination	39
	4 2 2 2 E coli determination	39