Ps. 3000/s

DEVELOPMENT OF ALKALINE DRINK WITH
WATERMELON

BY

MUNASINGHE ARACHCHIGE IRESHA SHYAMALEE

Libary - USJP



195828

The thesis submitted to the **University of Sri Jayewardenepura** as the partial fulfillment requirement for the award of degree of

BACHELOR OF APPLIED SCIENCES IN FOOD SCIENCE AND TECHNOLOGY (SPECIAL)

DEVELOPMENT OF ALKALINE DRINK WITH WATERMELON

By

M.A.I. Shyamalee

ABSTRACT

Alkaline drink can be categorized under non alcoholic, non carbonated beverage having pH above 7.0. It is maintained in-between 7.5-9.5 pH range. It can be developed as a natural drink or as an artificial drink which having several health benefits. Watermelon is one of the fruit having extremely alkaline properties with compared to other fruits. The development of alkaline drink using watermelon is the main objective of the study. In this study matured watermelon fruit is selected and the fruit juice is extracted. According to the parameters of the juice collected sugar syrup is prepared to get the final brix value of the drink. After adding all the ingredients the final drink is pasteurized after bottling. The experiment work was carried out to evaluate the organoleptic and physical properties such as colour, odour, taste, saltiness, sweetness, acidity and overall acceptability. pH, brix value and microbiological conditions were determined throughout the shelf life.

Significant differences in pH were recorded after one month from the date of manufacture but significant differences of the brix values and microbiological safety were not recorded. The lime flavoured sample (i.e. 7.8 pH, 11.0 brix value) was selected as most acceptable product by acquiring highest mean rank.



TABLE OF CONTENTS

ACKNOWLEDGEMENT	vi
ABSTRACT	ii
TABLE OF CONTENTS	iii
LIST OF TABLES	vii
LIST OF FIGURES	ix
ABBREVIATIONS	x
CHAPTER 1	1
INTRODUCTION	1
1.1 Objectives	3
1.1.1 Main objective	3
1.1.2 Specific objectives	3
CHAPTER 2	4
LITERATURE REVIEW	4
2.1 Soft drinks	4
2.1.1 Fruit juice	4
2.2 New Product Development	4
2.3 Alkaline Drink	5
2.3.1 Importance of Alkaline drink	5
2.4 Watermelon	6
2.4.1 World production	7
2.4.2 Agro-climatic conditions	8
2.4.3 Chemical Composition	Q

3.2.1 Selection of matured watermelon	25
3.2.2 Potable water/Filter water	25
3.2.3 Other ingredients	26
3.3 Extraction of fruit juice	27
3.4 Preparation of Sugar Syrup	28
3.5 Preparation of NaOH soulution	30
3.6 Preparation of final drink	.31
3.7 Sensory Evaluation.	.35
3.8 Analysis of Chemical Properties	.35
3.8.1 pH	.35
3.7.2 Brix Value	.36
3.9 Proximate Analysis	37
3.9.1. Determination of Total Solid Content: Oven drying Method	.37
3.9.2 Determination of Crude Fiber Content	.38
3.9.3 Determination of Ash content (A.O.A.C. 1985)	.39
3.10 Microbiological examinations	.40
3.10 Shelf life determination	.42
CHAPTER 4	.43
RESULTS AND DISCUSSION	.43
4.1 Results of Sensory evaluation	.43
4.1.1 Determination of BRIX for the drink value	.43
4.1.2 Determination of best pH value for the drink	.44
4.1.3 Determination of orgonoleptic properties.	.45
4.2 Results of the chemical evaluation.	.54
4.2.1 Calculation of fruit yield	.55



4.2.2 Determination of moisture content of the fruit
4.3 Shelf life determination
4.4 Evaluation of the final product
4.5 Results of microbiological evaluation
CHAPTER 5
CONCLUSION63
CHAPTER 764
RECOMMENDATIONS AND SUGGESTIONS
REFERENCES
APPENDIX 01i
APPENDIX 02 iii
APPENDIX 03
APPENDIX 04v
APPENDIX 05
APPENDIX 06vii
APPENDIX 07