



KINETICS OF VULCANISATION IN NATURAL RUBBER IN THE PRESENCE OF NITROSAMINE-FREE ACCELERATORS

Ву

K.D. Arunashanthi

A project report submitted in partial fulfilment of the requirements for the award of Master of Science in Polymer Chemistry & Technology for University of Sri Jayawardenapura

174364

September 2003

ABSTRACT

Much attention has focused on nitrosamines in the rubber industry-both in workplace air and in the rubber products themselves. Thus while a correlation between accelerator usage and nitrosamine formation is well known, the efficiency of such conversion appears to be highly variable.

Since nitrosamines are derivatives of secondary amines, as are many rubber chemicals (accelerators and sulphur donors) a correlation between accelerator usage and nitrosamine formation is not surprising, the link having been established as long ago as 1980. The proposed work will involve a detailed investigation of the way in which Nitrosamine-free accelerators influence the Kinetics of cross-linking in natural elastomers.



Table of content

	Acknowledgement	ii ·
	Declaration	iii
	Abbreveations	iv
	List of table	V
	List of graph	vi
	List of figure	vii
	Abstract	vii
	Table of content	ix
1.0	Introduction	1
1.1	Material	2
1.2	Method	5
1.3	Aim and objectives	6
2.0	Literature search and theory	7
2.1	Nitrosamine: Environment issues and alternatives	7
2.2	Nitrosamine formation in rubber and influence of mixing	13
2.3	Nitrosamine formation in rubber and influence of cure	14
2.4	Sulphur vulcanisation	15
2.5	Nitrosamine and cancer	21
3.0	Experimental	26
3.1	Mix preparation	26
3.2	Investigation of cure characteristics	29
3.3	Kinetics of vulcanisation	31
4.0	Data and analysis	33
4.1	Cure characteristics	33
4.2	Kinetics of vulcanisation	34







4.3	Statistical analysis on cure characteristics	37
5.0	Discussion	40
5.1	Cure characteristics	40
5.2	Visualisation of analysis	42
5.3	Verification of statistical analysis	45
6.0	Conclusion and future work	47