ETHNO-MEDICAL USASE OF Drymoglossumpiloselloides AND SCREENING FOR CHEMICAL CONSTITUENTS

MAKEWITAGE UTHPALA MADHURI PERERA

Submitted in partial fulfillment of the requirement

for the award of the degree of

MASTER OF SCIENCE IN INDUSTRIAL UTILIZATION OF MEDICINAL AND AROMATIC PLANTS

of the

UNIVERSITY OF SRI JAYEWARDENEPURA

SRI LANKA

2010

DECLARATION

I do here by declare that the work reported in this project report /thesis was exclusively carried out by me under the supervision of Prof A.M. Abeysekera. It describes the result of my own independent research except where due reference has been made in the text. No part of this project report/thesis has been submitted earlier or concurrently for the same or any other degree.

| Date. | 30/07/2010 | m le |
|--------|--|----------------------------|
| | | Signature of the Candidate |
| | | |
| | | |
| Certif | ied by: | |
| 1. | Supervisor (Name): | Date: |
| | (Signature): | |
| | 30 · · · · · · · · · · · · · · · · · · · | |
| | | |
| 2. | Co-Supervisor (Name): | Date: |
| | (Signature): | |

TABLE OF CONTENT

| | Page NO |
|---|---------|
| LIST OF TABLES | ı İ |
| LIST OF FIGURES | П |
| ACKNOWLEDGEMENT | V |
| ABSTRACT | VII |
| CHAPTER 01 | |
| 1. INTRODUCTION | 01 |
| 1.1. Morphology | 02 |
| 1.2. Taxonomy | 05 |
| 1.2.1. Synonym | 05 |
| 1.2.2. Vernacular name | 05 |
| 1.3. Literature Review | 06 |
| 1.4. Properties of <i>Drymoglossum piloselloides</i> according to Ayurveda. | 09 |
| 1.5. Drug preparation using Drymoglossum piloselloides L | 12 |
| 1.5.1. Oil or "Sneha Kalpana" | 12 |
| 1.5.2. Decoction("kashaya kalpana") | 13 |
| 1.5.2.1. Swarasa kalpana – Juice | 14 |
| 1.5.2.2. Srta kalpana– Decoction | 14 |

| 1.5.3. Porridge or "Yavagu" | 15 |
|---|----|
| 1.5.4. Poultice | 15 |
| 1.6. Systems of Medicine in Sri Lanka | 16 |
| 1.7. Geographical study area of Field survey | 18 |
| 1.7.1. The Western province of Sri Lanka | 19 |
| 1.7.2. The North-Western province of Sri Lanka | 20 |
| | |
| CHAPTER 02 | |
| | |
| 2. METHODOLOGY OF FIELD SURVEY: PART I | 22 |
| 2.1 Sample of survey | 22 |
| 2.2 Geographical studies area | 22 |
| 2.3 Calculation of Percentage | 23 |
| CHAPTER 3 | |
| | |
| 3. MATERIALS AND METHODS :PART 2 | 24 |
| 3.1. Materials for Chemical | 24 |
| 3.1.1 Preparation of spray reagents | 24 |
| 3.1.1.1 Natural products reagent (NPG) | 24 |
| 3.1.1.2 Anisaldehyde Sulphuric acid reagent (ASG) | 24 |
| 3.1.1.3 Alcoholic Potassium hydroxide reagent (KOH) | 25 |
| 3.1.1.4 Libermann-Burchard reagent (LB) | 25 |

| 3.1.1.5 Folin Denis reagent | 26 |
|---|----|
| 3.1.2 Preparation of Thin layer chromatography plates | 26 |
| 3.2 Sample preparation for Chemical Analysis | 26 |
| 3.3 Chemical Extraction and Phytochemical Screening tests | 27 |
| 3.3.1 Methanol Extraction | 27 |
| 3.3.1.1 Test for Alkaloids | 28 |
| 3.3.1.2 Test for Steroids and Terpenoids | 28 |
| 3.3.1.3 Test for Flavanoids | 29 |
| 3.3.2 Water Extraction | 29 |
| 3.3.2.1 Test for Poly phenolic compounds | 30 |
| 3.4 Chemical Analysis | 30 |
| 3.4.1 Extraction and TLC detection of Polyphenolic compounds | 30 |
| 3.4.2 Extraction and TLC detection of Unsaturated Sterols | 30 |
| 3.4.3 Extraction and TLC detection of Flavonoids | 31 |
| 3.5 Determination of Carotinoids | 31 |
| 3.5.1 Sample preparation-Hexane extraction | 31 |
| 3.5.2 Determination of UV-Visible spectrum of Hexane sample | 32 |
| 3.6 Determination of Chlorophyll | 32 |
| 3.6.1 Sample preparation | 32 |
| 3.6.2 Determination of UV-Visible spectrum of Methanol sample | 32 |
| | |

CHAPTER 4

4 RESULTS AND DISCUSSION: PART I

| | 4.1 | Identification of "Panam-peti" or Drymoglossum piloselloides | 33 |
|-----------|-------|--|----|
| | 4.2 | Methods of preparation | 35 |
| | 4.3 | Educational and Professional qualification | 39 |
| | 4.4 | Used formation | 40 |
| | 4.5 | Ethno medical Usages of Drymoglossum piloselloides | 42 |
| | СНАІ | PTER 5 | |
| | 5 | RESULTS AND DISCUSSION: PART II | 48 |
| | 5.1 | Results of extraction | 48 |
| | 5.2 | Result of screening tests | 49 |
| | 5.3 | Result of T Thin layer chromatography | 52 |
| | 5.3.1 | Treatment with NP reagent (Flavonoids) | 52 |
| | 5.3.2 | Treatment with Folin-Denis reagent (Poly phenol) | 55 |
| | 5.3.3 | Treatment with Anisaldehyde Sulphuric acid reagent (Triterpenes) | 56 |
| | 5.3.4 | Treatment with Liebermann-Burchard reagent (Steroids) | 58 |
| | 5.3.5 | Treatment with Potassium hydroxide reagent | 59 |
| | 5.4 | Determination of UV-Visible spectrum of precipitate | 61 |
| | 5.5 | Determination of UV-Visible spectrum of Hexane extraction | 63 |
| CHAPTER 6 | | | |
| | 6 | CONCLUSION | 66 |
| | REF | ERENCES | 67 |

APPENDICES

Appendix I

| Questionnaire | | 70 |
|---------------|---|----|
| A | ppendix II | |
| I. | Map of Sri Lanka | 72 |
| II. | Map of North western province | 73 |
| III. | The map of Kurunegala district of Sri Lanka | 74 |
| A | ppendix III | |
| I. | Absorption values of Carotenoids in hexane Solution | 74 |
| II. | Absorption spectra of alpha-carotene in hexane Solution | 75 |
| III. | Absorption spectra of beta-carotene in hexane Solution | 76 |
| IV. | The absorption spectrum of a mixture of chlorophyll a and chlorophyll b | 77 |
| A | appendix IV | |
| R | esult of Thin Layer Chromatography | 78 |

LIST OF TABLES

- Tab: 1.1 Properties of Drymoglossum piloselloides according to Ayurvedic literature
- Tab: 4.1: Method of preparation based on Therapeutic value
- Tab: 5.1 Observation and Results of the phytochemical screening tests on using methanolic extraction.
- Tab: 5.2 Observation and Results of the phytochemical screening tests on using water extract
- Tab: 5.3 the retention factors (Rf) and responsible compound for Flavonoids.
- Tab: 5.4 the retention factors (Rf) and responsible compound for poly phenol.
- Tab: 5.5 the retention factors (Rf) and responsible compound for Unsaturated Sterols
- Tab: 5.6 the retention factors (Rf) and responsible compound after treatment of KOH
- Tab: 5.7 Peak positions and stranded positions of Chlorophyll
- Tab: 5.8 Peak positions and stranded positions on some responsible compound.

LIST OF FIGURES

- Fig: 1.1 Drymoglossum piloselloides
- Fig: 1.2 Rhizomes of Drymoglossum piloselloides
- Fig: 1.3 Variations of sterile fronds of Drymoglossum piloselloides
- Fig: 1.4 the fertile fronds of Drymoglossum piloselloides
- Fig: 1.5 a. A Cluster of sporangia (Sori) of *Drymoglossum piloselloides*, b. Brown spores on the fertile frond.
- Fig: 1.6 Systems of Medicine in Sri Lanka
- Fig: 1.7. Physician who should be registered from Ayurvedic Department
- Fig: 1.8 The Western province of Sri Lanka
- Fig: 1.9 Polpitigama divisional secretary areas
- Fig: 4.1 Drymoglossum piloselloides in seven creepers"Vanna hata"
- Fig: 4.2 Drugs preparation using Drymoglossum piloselloides
- Fig: 4.3 Percentages of Physicians participation for survey
- Fig: 4.4 Position of physician
- Fig: 4.5 Usage form for drug preparation
- Fig: 4.6.Ethno- medical Usage of Drymoglossum piloselloides as the percentages.

Fig: 5.1 Methanol extraction of Drymoglossum piloselloides

Fig: 5.2. The precipitate on filter paper

Fig: 5.3 Hexane extraction is yellow colour and Methanol extraction after hexene partition is tea water colour

Fig: 5.4 Observation of Cyaniding Test

Fig: 5.5 Observation of test with Ferric chloride

Fig: 5.6 TLC treatments with NP reagent in solvent systems, a: - Ethyl acetate: Glacial acetic acid: Formic acid: water, 100:11:11:26 (v/v/v), b: - Toluene: Ethyl acetate: formic acid, 5:4:1 (v/v/v) (EA: extraction of Ethyl acetate)

Fig: 5.7 the flavanoid skeleton

Fig: 5.8 TLC analyses for poly phenol using Folin Denis reagent a: - Methanol: Chloroform, 4:6 (v/v), b and c: - Methanol: Chloroform in ratio 6:4 (v/v), d: - Ethyl acetate: Glacial acetic acid: water, 7:1:2 (v/v/v)

Fig: 5.9 TLC Anisaldehyde Sulphuric acid reagent a: - Methanol: Chloroform, 6:4 (v/v) b:-Ethyl acetate: Glacial acetic acid: Formic acid: water, 100:11:11:26 (v/v/v/v)

Fig: 5.10 TLC analyses for Unsaturated Sterols using Liebermann-Burchard reagent in Methanol: Chloroform, 6:4 (v/v)

Fig: 5.11 TLC analyses using KOH reagent in Methanol: Chloroform, 6:4 (v/v)

Fig: 5.12 Structure of anthrone

Fig: 5.13 Structure of anthraquinones

Fig: 5.14 Ultra violet -visible spectrum of precipitate in methanol 515-713 nm

Fig: 5.15 Ultra violet -visible spectrum of precipitate in methanol 450-600 nm

Fig: 5.16 Ultra violet -visible spectrum of hexane extraction 195-695 nm

Fig: 5.17 Ultra violet -visible spectrum of hexane extraction in 195-695 nm

ACKNOWLEDGEMENT

It gives me a great delight to acknowledge many who have helped in my efforts towards the successful completion of this project. Without their kind assistance this project would not have been a reality.

I would like to express my sincere thanks to the Faculty of Applied Science,
University of Sri Jayewardenepura for giving us this valuable opportunity.

My profound gratitude goes to my project supervisor to Prof. A. M. Abeyseeara Dean, Faculty of Applied Sciences University of Sri Jayewardenepura for his attentive guidance, support and encouragement given to me throughout the course of the project.

I thank Prof. S. Samarasinghe Head, Department of Chemistry, coordinator of my MSC and all lecturers who are in University as well as out of University who delivered lectures.

I thank Dr Jayantha Jayasiri, Senior lecturer of Faculty of Art, University of Sri jayawardanepura who supervised me in my field survey for attentive guidance, the support and encouragement given to me throughout the field survey of the project.

A special word of thanks goes to Dr Danister Perera who is an Ayurvedic practitioner and Professor Sarath Ranasingh who is a traditional as well as an Ayurvedic practitioner for providing details and some suggestions and Mr. Piyal Marasingha who is a Botanist in Department of Ayurveda in Sri Lanka for assisting me in numerous ways to make my project a success.

My heartfelt thanks goes out to Dr Kashyapa Dasanayaka for giving me a helpful hand in completing this MSC providing the sample of *Drymoglossum*

piloselloides and Miss Charani, temporary Lecturer, Faculty of Applied Science for giving me a helpful hand in compiling this thesis.

I thank all physicians who participated in my survey and revealing hidden information about *Drymoglossum piloselloides* and encouraging me for further research.

I extend my grateful thanks to all the members in the academic staff of the Department of Chemistry, University of Sri Jayewardenepura, for the guidance they provided for the completion of this project. I also wish to make this an opportunity to thank all the members of the non-academic staff of our Department, for their kind assistance given to me throughout my project.

Last but not the least; I would like to remember my parents with loving gratitude. They were always by my side, supporting me throughout the most difficult of times.

ABSTRACT

Drymoglossum piloselloides or "Panam pethi" of the Polypodiaceae family is a small epiphytic fern having thick, simple and numerous leaves commonly seen on the trunk of older trees and is found throughout tropical Asia below an elevation of 2,000 feet. In Ceylon Drymoglossum piloselloides is used for the treatment of bones fraction, arresting capillary heamorrhages and skin diseases.

Drymoglossum piloselloides were collected in the Kurunegala district in Sri Lanka and identified. A voucher specimen has been deposited at the Herbarium of University of Sri Jayawardenepura. Leaves of Drymoglossum piloselloides were washed & dried for about one month under normal environmental conditions. Dried leaves were grounded into a paste form and extracted with methanol using soxhlet apparatus around 50-70¢ temperature for 1½ hrs. The solvent was concentrated under vacuum using a rotary evaporator. The yield was 4.706%. Then 50ml of the above basic solution was extracted with hexane. The yield was 0.012 %.

Phytochemical screening test for alkaloids, unsaturated sterols, flavanoids, polyphenolic compounds was done. Preliminary phytochemical investigation by thin layer chromatography (TLC) using authentic standards and UV Spectrometry led to the detection of unsaturated sterols, polyphenolic compounds, flavonoids.

To gather scattered & hidden ethno-medical knowledge about *Drymoglossum* piloselloides, field survey was carried out in Kurunegala, Gampaha and Colombo districts of Sri Lanka with randomly selected 50 indigenous practitioners using semi-structured questionnaire.

The results obtained from the phytochemical analysis of the *Drymoglossum* piloselloides L showed the presence of flavonoids, triterpenoids, steroids, and the absence of alkaloids. The survey revealed that *Drymoglossum* piloselloides has maximum effect for fraction healing, reduce pungent feeling activities, rectal prolepses, Hemorrhoids, Anemia, Hemorrhagic condition, wound healing and reduce swelling. And it considers that *Drymoglossum* piloselloides may have to a certain extant act for curing Dengue fever. So it implies the importance of carrying out further studies on the chemical constituents in *Drymoglossum* piloselloides and bio assay.